

# THE BOLD NEW AGE



ALL-NEW ISUZU

**MU-X**

Introducing the **All-New ISUZU mu-X**,  
our boldest SUV yet.

**ISUZU**





ISUZU's legendary commitment to excellence, combined with the latest in cutting-edge technology, has produced a truly exceptional addition to its range – the all-new ISUZU mu-X.

The exquisite interior styling, increased passenger space and advanced safety systems of this exciting new SUV are guaranteed to impress even the most discerning passenger or driver.

## ISUZU mu-X SPECIFICATIONS

MODELS	3.0 LS 4X2	3.0 LS 4X4	3.0 LSE 4X2	3.0 ONYX 4X4
<b>ENGINE</b>				
Displacement (cc)	2 999	2 999	2 999	2 999
No. of Cylinders	4	4	4	4
Compression Ratio	16.3:1	16.3:1	16.3:1	16.3:1
Bore X Stroke (mm)	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
No. of Valves	16	16	16	16
Power (kW) @ r/min	140 @ 3 600	140 @ 3 600	140 @ 3 600	140 @ 3 600
Torque (Nm) @ r/min	450 @ 1 600 – 2 600	450 @ 1 600 – 2 600	450 @ 1 600 – 2 600	450 @ 1 600 – 2 600
Turbocharger	Standard	Standard	Standard	Standard
Water Depth Protection (mm)	800	800	800	800
Pre-Air Cleaner	Standard	Standard	Standard	Standard
ACG (120 A) with Intelligent Battery System (IBS)	Standard	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard	Standard

<b>FUEL CONSUMPTION</b>				
Combined Cycle (Litres/100 km)	-	-	-	-
Combined CO <sub>2</sub> Emissions (g/km)	-	-	-	-
Fuel Type	Diesel	Diesel	Diesel	Diesel

<b>TRANSMISSION</b>				
Transmission Type	6-Speed A/T	6-Speed A/T	6-Speed A/T	6-Speed A/T
Gear Ratio: 1st	3.600	3.600	3.600	3.600
Gear Ratio: 2nd	2.090	2.090	2.090	2.090
Gear Ratio: 3rd	1.488	1.488	1.488	1.488
Gear Ratio: 4th	1.000	1.000	1.000	1.000
Gear Ratio: 5th	0.687	0.687	0.687	0.687
Gear Ratio: 6th	0.580	0.580	0.580	0.580
Gear Ratio: Reverse	3.732	3.732	3.732	3.732
4WD Selector	Standard	Standard	Standard	Standard
Low Range Ratio	-	-	-	-

<b>FRONT DIFFERENTIAL</b>				
Differential Lock	-	-	-	-
Axle Ratio: Final Drive	-	3.727	-	3.727

<b>REAR DIFFERENTIAL</b>				
Differential Lock	Standard	Standard	Standard	Standard
Axle Ratio: Final Drive	3.727	3.727	3.727	3.727

<b>CHASSIS DESIGN</b>				
Front Wheel Suspension	Independent High-Ride Coil	Independent High-Ride Coil	Independent High-Ride Coil	Independent High-Ride Coil
Rear Wheel Suspension	Multi-Link Coil	Multi-Link Coil	Multi-Link Coil	Multi-Link Coil
Shock Absorbers	Gas	Gas	Gas	Gas
High-Ride Suspension	Standard	Standard	Standard	Standard
Skid Plate Guard	Standard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard	Standard
Transfer Case Guard	-	Standard	-	Standard
Oil Pan Guard	Standard	Standard	Standard	Standard

<b>WHEELS &amp; TYRES</b>				
Tyre Size	255 / 65 R 17	255 / 65 R 17	265 / 60 R 18	265 / 50 R 20
Wheels Size / Type	17" X 7.0J-33 Alloy	17" X 7.0J-33 Alloy	18" X 7.5J-33 Alloy	20" X 7.5J-33 Alloy
Spare Wheel Size / Type	17" X 7.0J-33 Steel	17" X 7.0J-33 Steel	18" X 7.5J-33 Steel	20" X 7.5J-33 Alloy
Turning Circle (m)	11.4	11.4	11.4	11.4
Tyre-Pressure Monitoring Sensor	-	-	Standard	Standard

MODELS	3.0 LS 4X2	3.0 LS 4X4	3.0 LSE 4X2	3.0 ONYX 4X4
<b>DIMENSIONS</b>				
Length (mm)	4 850	4 850	4 850	4 850
Width (mm)	1 870	1 870	1 870	1 870
Height (mm)	1 820	1 820	1 825	1 825
Wheelbase (mm)	2 855	2 855	2 855	2 855
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Front Overhang (mm)	895	895	895	895
Rear Overhang (mm)	1 100	1 100	1 100	1 100
Ground Clearance (mm)	235	235	235	235
Approach Angle (°)	30.0	30.0	30.0	30.0
Departure Angle (°)	26.0	26.0	26.0	26.0
Breakover Angle (°)	24.0	24.0	24.0	24.0
Wading Depth (mm)	800	800	800	800

<b>MASS / CAPACITY</b>				
Gross Axle Mass – Front (GA1) (kg)	1 450	1 450	1 450	1 450
Gross Axle Mass – Rear (GA2) (kg)	1 650	1 650	1 650	1 650
Gross Vehicle Mass (GVM) (kg)	2 700	2 800	2 700	2 800
Gross Combined Mass (GCM) (kg)	5 900	5 900	5 900	5 900
Tare Mass (kg)	1 955	2 050	1 995	2 125
Payload (kg)	686	691	657	627
Towing Capacity (kg): Unbraked Trailer	-	-	-	-
Towing Capacity / Rating (kg): Braked Trailer	-	-	-	-
Fuel Tank Capacity (Litres)	80	80	80	80

<b>SAFETY FEATURES</b>				
Anti-Lock Braking System (ABS)	Standard	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard	Standard	Standard
Brake-Override Accelerator (BOA)	Standard	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard	Standard
Hill-Start Assist (HSA)	Standard	Standard	Standard	Standard
Hill-Descent Control (HDC)	Standard	Standard	Standard	Standard
Trailer Sway Control	Standard	Standard	Standard	Standard
Cruise Control	Standard	Standard	Standard	Standard / Adaptive
Multi-Collision Braking System	-	-	-	Standard
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard	Standard
Seatbelt Pre-Tensioners	Standard	Standard	Standard	Standard
Occupant Detection Sensor	Passengers	Passengers	Passengers	Passengers
Driver & Front Passenger Airbags	Standard	Standard	Standard	Standard
Front-Seat Side Airbags	Standard	Standard	Standard	Standard
Curtain Airbags	Standard	Standard	Standard	Standard
Knee Airbag Driver	Standard	Standard	Standard	Standard
Far-Side Airbag	-	-	-	Standard
Side-Impact Bars (Front & Rear Doors)	Standard	Standard	Standard	Standard
Improved Side-Pole Impact	-	-	-	Standard
Collapsible Steering Column	Standard	Standard	Standard	Standard
Speed-Sensitive Door Lock	Standard	Standard	Standard	Standard
ISOFIX Child-Seat Attachment	Standard	Standard	Standard	Standard
Rear-View Camera	Standard	Standard	Standard	Standard
Front Camera	-	-	-	Standard
Parking Distance Sensors	Rear	Rear	Front & Rear	Front & Rear
Emergency Stop Signal	Standard	Standard	Standard	Standard
Blind-Spot Monitor	-	-	Standard	Standard
Rear Cross-Traffic Alert	-	-	Standard	Standard
Rear Radar	-	-	Standard	Standard

MODELS	3.0 LS 4X2	3.0 LS 4X4	3.0 LSE 4X2	3.0 ONYX 4X4
<b>SAFETY FEATURES</b>				
Autonomous Emergency Brake	-	-	-	Standard
Forward-Collision Warning	-	-	-	Standard
Pedal Misapplication Mitigation	-	-	-	Standard
Manual Speed Limiter	-	-	-	Standard
Lane-Departure Warning	-	-	-	Standard
Lane-Keep Assist	-	-	-	Standard
Lane-Departure Prevention	-	-	-	Standard
Driver Monitoring	-	-	-	Standard

<b>SECURITY FEATURES</b>				
Remote-Controlled Central Locking	Standard	Standard	-	-
Passive Entry Start System (PESS)	-	-	Standard	Standard
Anti-Theft Alarm System	Standard	Standard	Standard	Standard
Transponder Immobiliser System	Standard	Standard	Standard	Standard
Selectable Door Unlock	Standard	Standard	Standard	Standard
Walk-Away Automatic Door Lock	-	-	Standard	Standard

<b>INTERIOR LIGHTING</b>				
Front Reading Lamps	Standard	Standard	Standard	Standard
Interior Courtesy Lamps	Standard	Standard	Standard	Standard
Ambient Lighting in Door Trim Panel	-	-	-	Standard
Luggage Lamp	Standard	Standard	Standard	Standard

<b>EXTERIOR LIGHTING</b>				
Front Fog Lights	LED	LED	LED	LED
Daytime Running Lights (DRL)	LED	LED	LED	LED
Headlights	Bi-LED	Bi-LED	Bi-LED	Bi-LED
Headlights 'ON' Warning Buzzer	Standard	Standard	Standard	Standard
Headlamp Levelling Automatic	Standard	Standard	Standard	Standard
Automatic ON/OFF Headlamp	Standard	Standard	Standard	-
Automatic High Beam	-	-	-	Standard
LED Combination Rear Taillights	Standard	Standard	Standard	Standard
High-Mounted Centre Stoplight	LED	LED	LED	LED
Rear Fog Lamps	LED	LED	LED	LED
Follow-Me-Home Headlamps	Standard	Standard	Standard	Standard

<b>EXTERIOR FEATURES</b>				
Front Wiper	Automatic, Rain-Sensing	Automatic, Rain-Sensing	Automatic, Rain-Sensing	Automatic, Rain-Sensing
Radiator Grille – Colour	Chrome	Chrome	Chrome	Chrome
Front Bumper – Colour	Body Colour	Body Colour	Body Colour	Body Colour
Rear Bumper – Colour	Body Colour / Tungsten Silver	Body Colour / Tungsten Silver	Body Colour / Tungsten Silver	Body Colour / Tungsten Silver
Exterior Door Handle – Colour	Body Colour	Body Colour	Body Colour	Body Colour
Exterior Mirrors: Body Colour, Power Adjustable, Manual Folding with Side Indicator	Standard	Standard	Standard, Heated	Standard, Heated
B-Pillar Blackout	Standard	Standard	Standard	Standard
Side-Steps	Tungsten Silver	Tungsten Silver	Tungsten Silver	Tungsten Silver
Mudflaps	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Roof Rails	Standard	Standard	Standard	Standard
Rear Window Wiper	Standard	Standard	Standard	Standard
Rear Spoiler	Standard	Standard	Standard	Standard
Lift Gate	Manual	Manual	Power	Power



MODELS	3.0 LS 4X2	3.0 LS 4X4	3.0 LSE 4X2	3.0 ONYX 4X4
<b>INTERIOR FEATURES</b>				
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic	Electric
Steering Column Adjustment	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic
Leather Steering Wheel with Multi-Function Controls	Standard	Standard	Standard	Standard
Gearknob Trim	Urethane	Urethane	Leather	Leather
Seating Capacity	7	7	7	7
Front Seat Configuration	Bucket Seats (x2)	Bucket Seats (x2)	Reclining Bucket Seats (x2)	Reclining Bucket Seats (x2)
Second-Row Seat Configuration	60:40 Split Bench	60:40 Split Bench	60:40 Split Bench	60:40 Split Bench
Third-Row Seat Configuration	50:50 Split Bench	50:50 Split Bench	50:50 Split Bench	50:50 Split Bench
Seat Trim	Cloth	Cloth	Partial Leather	Partial Leather
Driver Seat Adjustment	6-Way Manual	6-Way Manual	8-Way Power	8-Way Power
Front Passenger Seat Adjustment	-	-	4-Way Power	4-Way Power
Seatbelt Reminder Driver & Passengers	Front / Rear	Front / Rear	Front / Rear	Front / Rear
Rear Seat Centre Armrest	Standard 2 Cupholders	Standard 2 Cupholders	Standard 2 Cupholders	Standard 2 Cupholders
Storage Pockets behind Front Seats	Standard	Standard	Standard	Standard
Heated Front Seats	-	-	-	Standard
Floor Trim	Carpet with Tibia Pad	Carpet with Tibia Pad	Carpet with Tibia Pad	Carpet with Tibia Pad
Driver Footrest	Standard	Standard	Standard	Standard
Air Conditioner	Manual with Rear Cabin Cooling Vents	Manual with Rear Cabin Cooling Vents	Auto Climate Control, Rear Cabin Cooling Vents	Auto Climate Control, Rear Cabin Cooling Vents
Rear Heater Ducts	Standard	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night	Auto Dimming
Sunvisor Driver Seat	Ticket Holder	Ticket Holder	Vanity Mirror & Light	Vanity Mirror & Light
Sunvisor Passenger Seat	Vanity Mirror	Vanity Mirror	Vanity Mirror & Light	Vanity Mirror & Light
Overhead Console with Sunglasses Holder	Standard	Standard	Standard	Standard
Digital Clock	Standard	Standard	Standard	Standard
Multi-Information Display (MID)	Standard	Standard	Standard	Standard
Dashboard Illumination Control	Standard	Standard	Standard	Standard
Power Windows: Driver One-Touch, Jam Protection and Timer	Standard	Standard	Standard	Standard
Auxiliary 12V Power Socket	2	2	2	2
Power Socket, Auxiliary 220V	-	-	-	Standard
USB Charge Ports (Front & Rear)	Standard	Standard	Standard	Standard
Lockable, Illuminated Glove Box	Standard	Standard	Standard	Standard
Door Trim with Storage Pockets & Integrated Cupholders	Standard	Standard	Standard	Standard
Floor Tunnel / Console with Integrated Cupholders	Standard	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard	Standard	Standard
Rear Privacy Windows	-	-	Standard	Standard
Fixed Rear Window, with Defogger	Standard	Standard	Standard	Standard
Ventilator Grille with Shutter (Fin Shut)	Standard	Standard	Standard	Standard

<b>INFOTAINMENT</b>				
Audio System: Touchscreen, RDS, MP3, Wi-Fi, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free, Rear-View Camera, Apple CarPlay® & Android Auto	7"	7"	9"	9"
Audio Input Terminal: USB, Auxiliary	Standard	Standard	Standard	Standard
Number of Speakers	6	6	8	8
Steering Wheel Audio Controls	Standard	Standard	Standard	Standard

<b>WARRANTY / SERVICE INTERVALS</b>				
Warranty & Roadside Assistance	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years	3 Years	3 Years	3 Years



ADAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.




# mu-X LS



ISUZU mu-X 3.0 LS 4X2 & 4X4  
Colour: SPLASH WHITE

Available in the following colours:



Cloth upholstery



17" Alloy wheels



The LS trim level comes standard with generous levels of spec. Herewith a summary of the noteworthy specifications:

## INTERIOR

Urethane Gear Knob Trim, Cloth Seat Trim, Manual 6-way Adjustable Driver Seat, Rear Seat Centre Armrest with 2 Cupholders, Lockable Glove Box with Illumination, Front and Rear USB Charge Ports, Power Windows with Driver One-Touch.

## EXTERIOR

Manual Lift Gate, Auto Rain-Sensing Front Wiper, 17" Alloy Wheels, Side-Steps and Roof Rails.

## TECH

7" Touchscreen with RDS, MP3, Bluetooth®, Audio Streaming with Integrated Mobile Hands-Free & Rear-View Camera, 6 Speakers, Apple CarPlay® & Android Auto, Wi-Fi. Includes a Multi-Information Display.

## SAFETY

7 x Airbags, Rear-View Camera, Trailer Sway Control, Hill-Descent Control, Hill-Start Assist, Electronic Stability Control, Cruise Control, Side-Impact Bars (Front & Rear), Brake-Override Accelerator, Brake-Assist System, Electronic Brake-Force Distribution, Anti-lock Braking System.

## PERFORMANCE

Available with a 3.0 Litre Turbo Diesel Engine mated with 6-Speed Auto Transmission and a 4X4 OR 4X2 Drive Configuration. 4X4 with Differential Lock and Low Range Transfer Case.

# mu-X LSE




ISUZU mu-X 3.0 LSE 4X2  
Colour: SANTOS BROWN

Available in the following colours:



French-stitched partial leather upholstery in black



18" Alloy wheels



The LSE trim level comes standard with LS features as well as the following additional specifications:

## INTERIOR

Leather Gear Knob Trim, 8-way Power Adjustable Driver Seat, 4-way Power Adjustable Front Passenger Seat, Auto Climate Control with Rear Cabin Cooling Vents.

## EXTERIOR

Power Lift Gate, Auto Rain-Sensing Front Wiper, 18" Alloy Wheels.

## TECH

9" Touchscreen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free & Rear-View Camera, 8 Speakers, Apple CarPlay® & Android Auto, Wi-Fi. Includes a Multi-Information Display.

## SAFETY

Front & Rear Parking Distance Sensors, Emergency Stop Signal, 7 Airbags, Side-Impact Bars (front and rear), Rear-View Camera, Trailer Sway Control, Hill-Descent Control, Hill-Start Assist, Electronic Stability Control, Brake-Override Accelerator, Brake-Assist System, Electronic Brake-Force Distribution, Anti-lock Braking System.

## THE ADAS SAFETY PACKAGE

Blind-Spot Monitor, Rear Cross-Traffic Alert, Rear Radar.

## PERFORMANCE

Available with a 3.0 Litre Turbo Diesel Engine mated with 6-Speed Auto Transmission and a 4X2 Drive Configuration.



# mu-X ONYX

ISUZU mu-X 3.0 ONYX 4x4  
Colour: DOLOMITE WHITE



Available in the following colours:



French-stitched partial leather upholstery in black



20" Alloy wheels



The ONYX trim level comes standard with features from the LS and LSE trim levels, as well as the following additional specifications:

#### INTERIOR

Leather Gear Knob Trim, 8-way Power Adjustable Driver Seat, 4-way Power Adjustable Front Passenger Seat, Auto Dimming Rear-View Mirror, Rear Privacy Windows, Power Socket with Auxiliary 220V.

#### EXTERIOR

Power Lift Gate, Auto Rain-Sensing Front Wiper, 20" Alloy Wheels.

#### TECH

9" Touchscreen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free & Rear-View Camera, 8 Speakers, Apple CarPlay® & Android Auto, Wi-Fi. Includes a Multi-Information Display.

#### SAFETY

Front & Rear Parking Distance Sensors, 8 Airbags, Side-Impact Bars (Front and Rear), Emergency Stop Signal, Adaptive Cruise Control, Front & Rear Cameras, Trailer Sway Control, Hill-Descent Control, Hill-Start Assist, Electronic Stability Control, Brake-Override Accelerator, Brake-Assist System, Electronic Brake-Force Distribution, Anti-lock Braking System, Multi-Collision Brake, enhanced Side-Pole Impact Protection.

#### THE ADAS SAFETY PACKAGE

Blind-Spot Monitor, Rear Cross-Traffic Alert, Rear Radar, Autonomous Emergency Brake, Forward-Collision Warning, Pedal Misapplication Mitigation, Manual Speed Limiter, Lane-Departure Warning, Lane-Keep Assist, Lane-Departure Prevention, Driver Monitoring.

#### PERFORMANCE





Available with a 3.0 Litre Turbo Diesel Engine mated with 6-Speed Auto Transmission and a 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.

## PEACE OF MIND

WARRANTY: 3 Years / 100 000 km

ANTI-CORROSION WARRANTY: 3 Years



[www.isuzu.co.za](http://www.isuzu.co.za)    

**ISUZU**

*With you, for the long run*

Disclaimer: The information contained in this brochure was accurate at the time of going to publication November 2022. Specifications and equipment are subject to change without prior notice. Some illustrations in this brochure feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Printed colours may vary from actual. Errors and omissions excepted. Vehicles may differ from images. Terms and conditions apply. Please contact your Isuzu retailer for exact information. Apple CarPlay® is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions.